ELSEVIER

Solar Energy Materials & Solar Cells 75 (2003) 787–805

Solar Energy Materials & Solar Cells

www.elsevier.com/locate/solmat

Author index to volumes 74 + 75

Aberle, A.G., *see* **Altermatt, P.P.** (74) 165
Aberle, A.G., *see* **Cho, E.-C.** (74) 147
Aberle, A.G., *see* **Neuhaus, D.H.** (74) 225
Aberle, A.G., *see* **Widenborg, P.** (74) 305
Abou El-Zahab, E.M., *see* **Nafeh, Abd El-Shafy A.** (75) 723
Adurodija, F., *see* **Aramoto, T.** (75) 211
Ahn, B.-T., *see* **Ahn, J.H.** (74) 315
Ahn, B.T., *see* **Lee, D.Y.** (75) 73
Ahn, B.T., *see* **Yun, J.H.** (75) 203
Ahn, H., *see* **Heo, J.** (75) 193
Ahn, J.H., J.H. Eom, K.H. Yoon and B.-T. Ahn, Low-temperature crystallization of amorphous Si films using $AlCl_3$ vapor (74) 315
Airey, R., *see* **Bushnell, D.B.** (75) 299
Allebe, C., *see* **Szlufcik, J.** (74) 155
Altermatt, P., *see* **Maddalena, P.** (75) 397
Altermatt, P.P., A.G. Aberle, J. Zhao, A. Wang and G. Heiser, A numerical model of p–n junctions bordering on surfaces (74) 165
Altermatt, P.P., *see* **Parretta, A.** (75) 387
Altermatt, P.P., *see* **Parretta, A.** (75) 497
Andrä, G., *see* **Sinh, N.D.** (74) 295
Aoyama, K., *see* **Fujita, R.** (75) 319
Arai, E., *see* **Takeuchi, K.** (75) 427
Araki, I., *see* **Uematsu, T.** (75) 557
Araki, K. and M. Yamaguchi, Novel equivalent circuit model and statistical analysis in parameters identification (75) 457
Araki, K. and M. Yamaguchi, Extended distributed model for analysis of non-ideal concentration operation (75) 467
Araki, K. and M. Yamaguchi, Influences of spectrum change to 3-junction concentrator cells (75) 707
Araki, K. and M. Yamaguchi, Sunshine environment and spectrum analysis for concentrator PV systems in Japan (75) 715
Araki, K., *see* **Khan, A.** (75) 271
Aramoto, T., F. Adurodija, Y. Nishiyama, T. Arita, A. Hanafusa, K. Omura and A. Morita, A new technique for large-area thin film CdS/CdTe solar cells (75) 211
Arimune, H., *see* **Niira, K.** (74) 247
Arita, T., *see* **Aramoto, T.** (75) 211
Azuma, H., A. Takeuchi, T. Ito, H. Fukushima, T. Motohiro and M. Yamaguchi, Pulsed KrF excimer laser annealing of silicon solar cell (74) 289

Bär, M., Ch.-H Fischer, H.-J. Muffler, S. Zweigart, F. Karg and M.C. Lux-Steiner, Replacement of the CBD–CdS buffer and the sputtered i-ZnO layer by an ILGAR-ZnO WEL: optimization of the WEL deposition (75) 101
Bardos, R., *see* **Neuhaus, D.H.** (74) 225

Barnham, K.W.J., *see* **Bushnell, D.B.** (75) 299
Barnham, K.W.J., *see* **Chatten, A.J.** (75) 363
Barua, A.K., *see* **Ray, S.** (74) 387
Barua, A.K., *see* **Jana, M.** (74) 407
Bau, S., *see* **Kieliba, T.** (74) 261
Berge, C., *see* **Bergmann, R.B.** (74) 213
Bergmann, J., *see* **Sinh, N.D.** (74) 295
Bergmann, R.B., C. Berge, T.J. Rinke, J. Schmidt and J.H. Werner, Advances in monocrystalline Si thin film solar cells by layer transfer (74) 213
Berman, D., *see* **Faiman, D.** (75) 629
Bett, A.W., *see* **Hein, M.** (75) 277
Biro, D., R. Preu, O. Schultz, S. Peters, D.M. Huljic, D. Zickermann, R. Schindler, R. Lüdemann and G. Willeke, Advanced diffusion system for low contamination in-line rapid thermal processing of silicon solar cells (74) 35
Bo, L., *see* **Matsukawa, H.** (75) 537
Bodegård, M., *see* **Kessler, J.** (75) 35
Boreland, M. and M. Isogami, High-temperature growth of thin film microcrystalline silicon on silicon carbide using EBEP-CVD (74) 561
Bourgoin, J.C., *see* **Sun, G.C.** (75) 293
Brammer, T., W. Reetz, N. Senoussaoui, O. Vetterl, O. Kluth, B. Rech, H. Stiebig and H. Wagner, Optical properties of silicon-based thin-film solar cells in substrate and superstrate configuration (74) 469
Brogren, M. and A. Green, Hammarby Sjöstad–an interdisciplinary case study of the integration of photovoltaics in a new ecologically sustainable residential area in Stockholm (75) 761
Brogren, M., J. Wennerberg, R. Kapper and B. Karlsson, Design of concentrating elements with CIS thin-film solar cells for facade integration (75) 567
Bucher, E., *see* **Hahn, G.** (74) 57
Bucher, E., *see* **Neu, W.** (74) 139
Bucher, E., *see* **Peter, K.** (74) 219
Bucher, E., *see* **Spiegel, M.** (74) 175
Bucher, E., *see* **Hauser, A.** (75) 357
Bultman, J.H., *see* **van der Heide, A.S.H.** (74) 43
Burkhardt, R., *see* **Fath, P.** (74) 127
Bushnell, D.B., N.J. Ekins-Daukes, K.W.J. Barnham, J.P. Connolly, J.S. Roberts, G. Hill, R. Airey and M. Mazzer, Short-circuit current enhancement in Bragg stack multi-quantum-well solar cells for multi-junction space cell applications (75) 299
Buxton, B.F., *see* **Chatten, A.J.** (75) 363

Campbell, P., *see* **Widenborg, P.** (74) 305
Chaisitsak, S., *see* **Tokita, Y.** (75) 9
Chang, S.-H., *see* **Kang, M.-G.** (75) 475
Chatten, A.J., K.W.J. Barnham, B.F. Buxton, N.J. Ekins-Daukes and M.A. Malik, A new approach to modelling quantum dot concentrators (75) 363
Cho, E.-C., J. Xia, A.G. Aberle and M.A. Green, Antireflection and surface passivation behaviour of $SiO_2/Si/SiO_2$ quantum wells on silicon (74) 147
Cho, Y.H., *see* **Ebong, A.** (74) 51
Choulat, P., *see* **Szlufcik, J.** (74) 155
Ciorba, U., *see* **Menna, P.** (75) 519
Close, J., The Hong Kong schools solar education programme (75) 739
Connolly, J.P., *see* **Bushnell, D.B.** (75) 299

Dakkak, M., *see* **Muhida, R.** (75) 697
Damiani, B.M., *see* **Ruby, D.S.** (74) 133

Das, C., *see* **Ray, S.** (74) 393
Das, D., *see* **Jana, M.** (74) 407
Das, R., *see* **Ray, S.** (74) 387
de Angelis, N., *see* **Sun, G.C.** (75) 293
de Held, E., *see* **Faiman, D.** (75) 629
De Wolf, S., *see* **Szlufcik, J.** (74) 155
Debarge, L., M. Schott, J.C. Muller and R. Monna, Selective emitter formation with a single screen-printed p-doped paste deposition using out-diffusion in an RTP-step (74) 71
Dekkers, H., *see* **Szlufcik, J.** (74) 155
Dhamrin, M., R. Ozaki and T. Saitoh, Quality evaluation and improvement of iron-doped electromagnetic multycrystalline silicon wafers (74) 203
Dharmarasu, N., M. Yamaguchi, A. Khan, T. Takamoto, T. Ohshima, H. Itoh, M. Imaizumi and S. Matsuda, Low-energy proton-induced defects in n^+/p InGaP solar cells (75) 327
Dharmarasu, N., *see* **Fahim, N.F.** (75) 411
Dharmaraso, N., *see* **Khan, A.** (75) 271
Dharmarasu, N., *see* **Yamaguchi, M.** (75) 285
Dimmler, B., *see* **Powalla, M.** (75) 27
Dimroth, F., *see* **Hein, M.** (75) 277
Dubail, J., *see* **Meier, J.** (74) 457
Dubail, S., *see* **Meier, J.** (74) 457
Duerinckx, F., *see* **Szlufcik, J.** (74) 155

Ebest, G., *see* **König, D.** (75) 335
Ebest, G., *see* **König, D.** (75) 381
Ebong, A., Y.H. Cho, M. Hilali, A. Rohatgi and D. Ruby, Rapid thermal technologies for high-efficiency silicon solar cells (74) 51
Ebong, A., *see* **Rohatgi, A.** (74) 117
Eguchi, Y., *see* **Uematsu, T.** (75) 557
Eid, A.E., *see* **Fahim, N.F.** (75) 411
Eisele, W., A. Ennaoui, P. Schubert-Bischoff, M. Giersig, C. Pettenkofer, J. Krauser, M. Lux-Steiner, S. Zweigart and F. Karg, XPS, TEM and NRA investigations of $Zn(Se,OH)/Zn(OH)_2$ films on $Cu(In,Ga)(S,Se)_2$ substrates for highly efficient solar cells (75) 17
Ekins-Daukes, N.J., *see* **Bushnell, D.B.** (75) 299
Ekins-Daukes, N.J., *see* **Chatten, A.J.** (75) 363
Endo, E. and Y. Tamura, Cost-effectiveness analysis of R&D on solar cells in Japan (75) 751
Ennaoui, A., *see* **Eisele, W.** (75) 17
Eom, J.H., *see* **Ahn, J.H.** (74) 315
Eyer, A., *see* **Kieliba, T.** (74) 261

Fahim, N.F., N. Kojma, M. Yamaguchi, Y. Ohshita, A.E. Eid and N. Dharmarasu, Electron spin resonance studies on defects in phosphorus ion-implanted C_{60} films (75) 411
Fahmy, F.H., *see* **Nafeh, Abd El-Shafy A.** (75) 723
Fahrner, W.R., *see* **Ulyashin, A.** (74) 195
Faiman, D., *see* **Katz, E.A.** (75) 421
Faiman, D., D. Berman, E. de Held and H. Oldenkamp, Study of AC-module inverters under extreme desert conditions (75) 629
Falk, F., *see* **Sinh, N.D.** (74) 295
Fath, P., *see* **Hahn, G.** (74) 57
Fath, P., H. Nussbaumer and R. Burkhardt, Industrial manufacturing of semitransparent crystalline silicon POWER solar cells (74) 127
Fath, P., *see* **Neu, W.** (74) 139
Fath, P., *see* **Peter, K.** (74) 219
Fath, P., *see* **Spiegel, M.** (74) 175

Fath, P., *see* **Hauser, A.** (75) 357
Faÿ, S., *see* **Meier, J.** (74) 457
Feitknecht, L., *see* **Meier, J.** (74) 457
Feitknecht, L., J. Meier, P. Torres, J. Zürcher and A. Shah, Plasma deposition of thin film silicon: kinetics monitored by optical emission spectroscopy (74) 539
Ferrazza, F., *see* **Parretta, A.** (75) 497
Finger, F., *see* **Lundszien, D.** (74) 365
Finger, F., *see* **Rech, B.** (74) 439
Fischer, Ch.-H, *see* **Bär, M.** (75) 101
Freeouf, J., *see* **Li, G.** (75) 307
Froumin, N., *see* **Katz, E.A.** (75) 421
Fujihara, T., *see* **Nakamura, K.** (75) 185
Fujii, T., *see* **Hiraoka, S.** (75) 781
Fujimura, Y., *see* **Jung, S.** (74) 421
Fujisaki, T., A. Yamada and M. Konagai, Effects of grain boundaries on cell performance of poly-silicon thin film solar cells by 2-D simulation (74) 331
Fujishiro, M., *see* **Tanaka, T.** (75) 115
Fujita, R., M. Imaizumi, K. Aoyama, S. Matsuda and S. Tokunaga, Analysis of generated power of ETS-VII during solar activity maximum period (75) 319
Fujiwara, T., *see* **Itoh, T.** (74) 379
Fujiwara, Y., *see* **Nagoya, Y.** (75) 163
Fukuda, S., *see* **Yamamoto, K.** (74) 449
Fukui, K., *see* **Niira, K.** (74) 247
Fukunaga, K., *see* **Itoh, T.** (74) 379
Fukushima, H., *see* **Azuma, H.** (74) 289
Fuyuki, T., *see* **Ishikawa, Y.** (74) 255
Fuyuki, T., *see* **Yamamoto, Y.** (75) 433
Fuyuki, T., *see* **Nishioka, K.** (75) 665

Gao, M., *see* **Ulyashin, A.** (74) 195
Ge, H.C., *see* **Geng, X.H.** (75) 489
Geiger, P., *see* **Hahn, G.** (74) 57
Geng, X.H., J.M. Xue, H.C. Ge, H.B. Li, Z.P. Wang, Q.Z. Wang and H.Z. Ren, Modeling of a-Si/poly-Si and a-Si/poly-Si/poly-Si stacked solar cells (75) 489
Gerhard, A., *see* **Rumberg, A.** (75) 1
Gerhards, C., *see* **Spiegel, M.** (74) 175
Giersig, M., *see* **Eisele, W.** (75) 17
Gilard, O., *see* **Sun, G.C.** (75) 293
Goetzberger, A., J. Luther and G. Willeke, Solar cells: past, present, future (74) 1
Golay, S., *see* **Meier, J.** (74) 457
Gotoh, M., *see* **Nakamura, K.** (75) 185
Green, A., *see* **Brogren, M.** (75) 761
Green, M.A., *see* **Cho, E.-C.** (74) 147
Green, M.A., *see* **Parretta, A.** (75) 497

Hadi, H., S. Tokuda and S. Rahardjo, Evaluation of performance of photovoltaic system with maximum power point (MPP) (75) 673
Hagihara, R., *see* **Nishioka, K.** (75) 665
Hagihara, R., *see* **Yagi, Y.** (75) 655
Hahn, G., P. Geiger, D. Sontag, P. Fath and E. Bucher, Influence of hydrogen passivation on majority and minority charge carrier mobilities in ribbon silicon (74) 57
Hakuma, H., *see* **Niira, K.** (74) 247
Hamada, M., *see* **Matsukawa, H.** (75) 537

Hamakawa, Y., Solar PV energy conversion and the 21st century's civilization (74) 13
Hamakawa, Y., *see* **Hiraoka, S.** (75) 781
Hamakawa, Y., *see* **Minemoto, T.** (75) 121
Hamakawa, Y., *see* **Takakura, H.** (74) 479
Han, Y., *see* **Heo, J.** (75) 193
Hanafusa, A., *see* **Aramoto, T.** (75) 211
Hanoka, J.I., *see* **Rohatgi, A.** (74) 117
Hara, I., *see* **Kushiya, K.** (75) 171
Harder, N.-P., *see* **Neuhaus, D.H.** (74) 225
Hasegawa, Y., *see* **Medvedkin, G.A.** (75) 127
Hashigami, H., Y. Itakura and T. Saitoh, Interpretation of light-induced cell performance degradation by means of spectroscopic light illumination (75) 351
Hashimoto, A., T. Kitano, A.K. Nguyen, A. Masuda, A. Yamamoto, S. Tanaka, M. Takahashi, A. Moto, T. Tanabe and S. Takagishi, Raman characterization of lattice-matched GaInAsN layers grown on GaAs (0 0 1) substrates (75) 313
Hashimoto, A., *see* **Yamamoto, A.** (75) 451
Hashimoto, T., *see* **Yamamoto, S.** (75) 577
Hashimoto, Y., *see* **Minemoto, T.** (75) 121
Hashimoto, Y., *see* **Satoh, T.** (75) 65
Hatayama, T., *see* **Ishikawa, Y.** (74) 255
Hatayama, T., *see* **Nishioka, K.** (75) 665
Hatayama, T., *see* **Yamamoto, Y.** (75) 433
Hauser, A., M. Spiegel, P. Fath and E. Bucher, Influence of an ammonia activation prior to the PECVD SiN deposition on the solar cell performance (75) 357
Hayakawa, T., *see* **Komatsu, Y.** (74) 513
Hayakawa, T., *see* **Yamamoto, H.** (74) 525
Hayashi, K., *see* **Yamamoto, K.** (74) 449
Hayashi, S., *see* **Satoh, T.** (75) 65
Hein, M., F. Dimroth, G. Siefer and A.W. Bett, Characterisation of a 300× photovoltaic concentrator system with one-axis tracking (75) 277
Heiser, G., *see* **Altermatt, P.P.** (74) 165
Heo, J., H. Ahn, R. Lee, Y. Han and D. Kim, Influence of ITO surface modification on the growth of CdS and on the performance of CdS/CdTe solar cells (75) 193
Heo, J.H., *see* **Parm, I.O.** (74) 97
Hezel, R., High-efficiency OECO Czochralski-silicon solar cells for mass production (74) 25
Hilali, M., *see* **Ebong, A.** (74) 51
Hill, G., *see* **Bushnell, D.B.** (75) 299
Hirano, K., *see* **Kurobe, K.-i.** (74) 183
Hiraoka, S., T. Fujii, H. Takakura and Y. Hamakawa, Tilt angle dependence of output power in an 80 kWp hybrid PV system installed at Shiga in Japan (75) 781
Hirose, K., *see* **Medvedkin, G.A.** (75) 127
Hoornstra, J., *see* **van der Heide, A.S.H.** (74) 43
Horzel, J., *see* **Szlufcik, J.** (74) 155
Huljic, D.M., *see* **Biro, D.** (74) 35
Hussein, R., *see* **Ulyashin, A.** (74) 195
Huster, F., *see* **Spiegel, M.** (74) 175

Ichikawa, M., *see* **Yamamoto, K.** (74) 449
Ichimura, M., *see* **Takeuchi, K.** (75) 427
Igarashi, K., *see* **Komatsu, Y.** (74) 513
Ikki, O., Present status and future prospects of PV activities in Japan (75) 729
Imaizumi, M., *see* **Dharmarasu, N.** (75) 327
Imaizumi, M., *see* **Fujita, R.** (75) 319

Imaizumi, M., *see* **Lee, H.-S.** (75) 57
Imaizumi, M., *see* **Khan, A.** (75) 271
Ishibashi, Y., *see* **Masuda, A.** (74) 373
Ishida, T., *see* **Yagi, Y.** (75) 655
Ishikawa, T., K. Kurokawa, N. Okada and K. Takigawa, Evaluation of operation characteristics in multiple interconnection of PV systems (75) 529
Ishikawa, Y., Y. Yamamoto, T. Hatayama, Y. Uraoka and T. Fuyuki, Crystallographic analysis of high quality poly-Si thin films deposited by atmospheric pressure chemical vapor deposition (74) 255
Ishikawa, Y., *see* **Yamamoto, Y.** (75) 433
Isogami, M., *see* **Boreland, M.** (74) 561
Isojima, K., *see* **Kashiwaba, Y.** (75) 253
Isomura, M., K. Nakahata, M. Shima, S. Taira, K. Wakisaka, M. Tanaka and S. Kiyama, Microcrystalline silicon–germanium solar cells for multi-junction structures (74) 519
Itakura, Y., *see* **Hashigami, H.** (75) 351
Ito, M., K. Kato, H. Sugihara, T. Kichimi, J. Song and K. Kurokawa, A preliminary study on potential for very large-scale photovoltaic power generation (VLS-PV) system in the Gobi desert from economic and environmental viewpoints (75) 507
Ito, T., *see* **Azuma, H.** (74) 289
Ito, T., *see* **Jung, S.** (74) 421
Itoh, H., *see* **Dharmarasu, N.** (75) 327
Itoh, H., *see* **Khan, A.** (75) 271
Itoh, H., *see* **Lee, H.-S.** (75) 57
Itoh, H., *see* **Tanaka, T.** (75) 109
Itoh, T., K. Fukunaga, Y. Katoh, T. Fujiwara and S. Nonomura, Doping of a-SiC$_X$:H films including μc-Si:H by hot-wire CVD and their application as a wide gap window for heterojunction solar cells (74) 379
Izawa, T., *see* **Oozeki, T.** (75) 687
Izumi, A., *see* **Masuda, A.** (74) 373

Jäger-Waldau, A., *see* **Rumberg, A.** (75) 1
Jana, M., D. Das and A.K. Barua, Promotion of microcrystallization by argon in moderately hydrogen diluted silane plasma (74) 407
Jeong, J., *see* **Rohatgi, A.** (74) 117
Jeong, W.-J. and G.-C. Park, Structural and electrical properties of $CuGaS_2$ thin films by electron beam evaporation (75) 93
Jin, P., *see* **Xu, G.** (74) 267
Job, R., *see* **Ulyashin, A.** (74) 195
Joge, T., *see* **Uematsu, T.** (75) 557
Jooss, W., *see* **Neu, W.** (74) 139
Jooss, W., *see* **Spiegel, M.** (74) 175
Joyce, D.B., *see* **Khattak, C.P.** (74) 77
Jun, K.H., J.K. Rath and R.E.I. Schropp, Enhanced light-absorption and photo-sensitivity in amorphous silicon germanium/amorphous silicon multilayer (74) 357
Jung, S., Y. Fujimura, T. Ito and H. Shirai, Chemistry of the chlorine-terminated surface for low-temperature growth of crystal silicon films by RF plasma-enhanced chemical vapor deposition (74) 421

Kamesaki, K., *see* **Masuda, A.** (74) 373
Kang, C., *see* **Kang, J.** (74) 91
Kang, J., J. You, C. Kang, J.J. Pak and D. Kim, Investigation of Cu metallization for Si solar cells (74) 91
Kang, K.H., *see* **Lee, J.C.** (74) 233

Kang, K.W., *see* **Song, H.K.** (75) 145
Kang, M.-G., N.-G. Park, Y.-J. Park, K.-S. Ryu and S.-H. Chang, Manufacturing method for transparent electric windows using dye-sensitized TiO_2 solar cells (75) 475
Kapper, R., *see* **Brogren, M.** (75) 567
Karg, F., *see* **Bär, M.** (75) 101
Karg, F., *see* **Eisele, W.** (75) 17
Karlsson, B., *see* **Brogren, M.** (75) 567
Kashiwaba, Y., K. Isojima and K. Ohta, Improvement in the efficiency of Cu-doped CdS/non-doped CdS photovoltaic cells fabricated by an all-vacuum process (75) 253
Kato, K., *see* **Ito, M.** (75) 507
Kato, K., *see* **Menna, P.** (75) 519
Katoh, Y., *see* **Itoh, T.** (74) 379
Katsumata, Y., *see* **Medvedkin, G.A.** (75) 135
Katz, E.A., D. Faiman, S.M. Tuladhar, S. Shtutina, N. Froumin, M. Polak and Y. Strzhemechny, Diffusion processes for doping of C_{60} (fullerene) thin films (75) 421
Kawakita, S., *see* **Lee, H.-S.** (75) 57
Kawamura, H., K. Naka, N. Yonekura, S. Yamanaka, H. Kawamura, H. Ohno and K. Naito, Simulation of $I-V$ characteristics of a PV module with shaded PV cells (75) 613
Kawamura, H., *see* **Kawamura, H.** (75) 613
Kessler, J., J. Wennerberg, M. Bodegård and L. Stolt, Highly efficient Cu(In,Ga)Se_2 mini-modules (75) 35
Kessler, J., *see* **Wennerberg, J.** (75) 47
Khan, A., M. Yamaguchi, Y. Ohshita, N. Dharmaraso, K. Araki, V.T. Khanh, H. Itoh, T. Ohshima, M. Imaizumi and S. Matsuda, Strategies for improving radiation tolerance of Si space solar cells (75) 271
Khan, A., *see* **Dharmarasu, N.** (75) 327
Khan, A., *see* **Sun, G.C.** (75) 293
Khan, A., *see* **Yamaguchi, M.** (75) 285
Khanh, V.T., *see* **Khan, A.** (75) 271
Khattak, C.P., D.B. Joyce and F. Schmid, A simple process to remove boron from metallurgical grade silicon (74) 77
Kichimi, T., *see* **Ito, M.** (75) 507
Kieliba, T., S. Bau, R. Schober, D. Oßwald, S. Reber, A. Eyer and G. Willeke, Crystalline silicon thin-film solar cells on $ZrSiO_4$ ceramic substrates (74) 261
Kim, D., *see* **Kang, J.** (74) 91
Kim, D., *see* **Kim, H.** (74) 323
Kim, D., *see* **Kim, H.** (74) 323
Kim, D., *see* **Heo, J.** (75) 193
Kim, D.S., *see* **Lee, E.J.** (74) 65
Kim, D.S., *see* **Parm, I.O.** (74) 97
Kim, H., D. Kim, G. Lee, D. Kim and S.H. Lee, Polycrystalline Si films formed by Al-induced crystallization (AIC) with and without Al oxides at Al/a-Si interface (74) 323
Kim, H.J., *see* **Song, H.K.** (75) 145
Kim, J., *see* **Parm, I.O.** (74) 97
Kim, K., *see* **Parm, I.O.** (74) 97
Kim, K.-H., *see* **Seol, J.-S.** (75) 155
Kim, K.H., *see* **Yun, J.H.** (75) 203
Kim, S.G., *see* **Song, H.K.** (75) 145
Kim, S.K., *see* **Lee, J.C.** (74) 233
Kim, S.K., *see* **Song, H.K.** (75) 145
Kim, Y.-H., *see* **Lee, S.-C.** (75) 481
Kim, Y.K., *see* **Lee, K.M.** (75) 439
Kishi, H., *see* **Yagi, Y.** (75) 655

Kitamura, A., *see* **Takigawa, K.** (75) 547
Kitano, T., *see* **Hashimoto, A.** (75) 313
Kitao, J., *see* **Kunii, T.** (74) 415
Kiyama, S., *see* **Maruyama, E.** (74) 339
Kiyama, S., *see* **Isomura, M.** (74) 519
Kiyama, S., *see* **Murata, K.** (75) 647
Kiyama, S., *see* **Yagi, Y.** (75) 655
Kluth, O., *see* **Rech, B.** (74) 439
Kluth, O., *see* **Brammer, T.** (74) 469
Kobata, T., *see* **Yamaguchi, T.** (75) 87
Koi, Y., *see* **Yamamoto, K.** (74) 449
Koide, N., *see* **Komatsu, Y.** (74) 513
Koizumi, H., *see* **Matsukawa, H.** (75) 537
Koizumi, K., *see* **Yoshioka, K.** (75) 373
Koizumi, K., K. Sugita, K. Yoshioka and T. Saitoh, Performance improvement of a static concentrator module with an asymmetric v-groove backsheet structure (75) 623
Kojma, N., *see* **Fahim, N.F.** (75) 411
Komatsu, Y., N. Koide, M.-J. Yang, T. Nakano, Y. Nagano, K. Igarashi, K. Yoshida, K. Yano, T. Hayakawa, H. Taniguchi, M. Shimizu and H. Takiguchi, a-Si/mc-Si hybrid solar cell using silicon sheet substrate (74) 513
Komatsu, Y., *see* **Yamamoto, H.** (74) 525
Komoda, M., *see* **Niira, K.** (74) 247
Komoto, K., *see* **Menna, P.** (75) 519
Konagai, M., *see* **Fujisaki, T.** (74) 331
Konagai, M., *see* **Tokita, Y.** (75) 9
Kondo, M., *see* **Miyahara, H.** (74) 351
Kondo, M., *see* **Nakashima, T.** (74) 429
Kondo, M., *see* **Suzuki, S.** (74) 489
Kondo, M., *see* **Nasuno, Y.** (74) 497
Kondo, M., *see* **Wada, T.** (74) 533
Kondo, M., *see* **Mase, H.** (74) 547
König, D. and G. Ebest, Novel external field source by localization of electrons for improvement of solar cells (75) 335
König, D. and G. Ebest, New contact frame design for minimizing losses due to edge recombination and grid-induced shading (75) 381
Kopecek, R., *see* **Peter, K.** (74) 219
Kosaka, M., *see* **Uda, H.** (75) 219
Koshiishi, K., *see* **Matsukawa, H.** (75) 537
Kozuma, S., *see* **Yagi, Y.** (75) 655
Krauser, J., *see* **Eisele, W.** (75) 17
Krč, J., M. Zeman, F. Smole, J.W. Metselaar and M. Topič, Analysis of light scattering in a-Si:H-based solar cells with rough interfaces (74) 401
Kress, A., *see* **Neu, W.** (74) 139
Kroll, U., *see* **Meier, J.** (74) 457
Kunii, T., J. Kitao, K. Mori, N. Yoshida and S. Nonomura, Temperature dependence of absorption coefficient spectra for μc-Si films by resonant photothermal bending spectroscopy (74) 415
Kurobe, K.-i., M. Miura, K. Hirano and H. Matsunami, Spatial distribution of minority-carrier lifetime and local concentration of impurities in multicrystalline silicon solar cells (74) 183
Kurokawa, K., *see* **Ishikawa, T.** (75) 529
Kurokawa, K., *see* **Ito, M.** (75) 507
Kurokawa, K., *see* **Matsukawa, H.** (75) 537
Kurokawa, K., *see* **Menna, P.** (75) 519

Kurokawa, K., *see* **Oozeki, T.** (75) 687
Kurokawa, K., *see* **Sugiura, T.** (75) 767
Kurokawa, K., *see* **Tamura, J.** (75) 585
Kurokawa, K., *see* **Yamaguchi, A.** (75) 679
Kushiya, K., *see* **Nagoya, Y.** (75) 163
Kushiya, K., M. Ohshita, I. Hara, Y. Tanaka, B. Sang, Y. Nagoya, M. Tachiyuki and O. Yamase, Yield issues on the fabrication of 30 cm × 30 cm-sized Cu(In,Ga)Se_2-based thin-film modules (75) 171
Kushiya, K., *see* **Sang, B.** (75) 179
Kuwabara, N., *see* **Takigawa, K.** (75) 547

Lee, D.Y., B.T. Ahn, K.H. Yoon and J.S. Song, Effect of first-stage temperature on Cu(In,Ga)Se_2 solar cells using the evaporation of binary selenide compounds (75) 73
Lee, D.Y., *see* **Yun, J.H.** (75) 203
Lee, E.J., D.S. Kim and S.H. Lee, Ni/Cu metallization for low-cost high-efficiency PERC cells (74) 65
Lee, G., *see* **Kim, H.** (74) 323
Lee, H.-S., H. Okada, A. Wakahara, A. Yoshida, T. Ohshima, H. Itoh, S. Kawakita, M. Imaizumi and S. Matsuda, Effect of proton irradiation on electrical properties of $CuInSe_2$ thin films (75) 57
Lee, J.-C., *see* **Seol, J.-S.** (75) 155
Lee, J.-H., W.-C. Song, J.-S. Yi and Y.-S. Yoo, Characteristics of the CdZnS thin film doped by thermal diffusion of vacuum evaporated indium films (75) 227
Lee, J.-H., D.-G. Lim and J.-S. Yi, Electrical and optical properties of CdTe films prepared by vacuum evaporation with close spacing between source and substrate (75) 235
Lee, J.-H., *see* **Lee, S.-C.** (75) 481
Lee, J.C., K.H. Kang, S.K. Kim, K.H. Yoon, J. Song and I.J. Park, Structural and electrical properties of polycrystalline silicon films deposited by hot-wire CVD (74) 233
Lee, J.C., *see* **Song, H.K.** (75) 145
Lee, J.H., *see* **Parm, I.O.** (74) 97
Lee, K.M., S.H. Lee and Y.K. Kim, Effect of design parameters on the efficiency of the solar cells fabricated using SOI structure (75) 439
Lee, R., *see* **Heo, J.** (75) 193
Lee, S.-C., J.-H. Lee, T.-S. Oh and Y.-H. Kim, Fabrication of tin oxide film by sol–gel method for photovoltaic solar cell system (75) 481
Lee, S.-Y., *see* **Seol, J.-S.** (75) 155
Lee, S.H., *see* **Lee, E.J.** (74) 65
Lee, S.H., *see* **Parm, I.O.** (74) 97
Lee, S.H., *see* **Kim, H.** (74) 323
Lee, S.H., *see* **Lee, K.M.** (75) 439
Li, E.L., *see* **Yamamoto, A.** (75) 451
Li, G., Q. Yang, Z. Yan, W. Li, S. Zhang, J. Freeouf and J.M. Woodall, Extreme radiation hardness and light-weighted thin-film indium phosphide solar cell and its computer simulation (75) 307
Li, H.B., *see* **Geng, X.H.** (75) 489
Li, W., *see* **Li, G.** (75) 307
Lim, D.-G., *see* **Lee, J.-H.** (75) 235
Lim, D.G., *see* **Parm, I.O.** (74) 97
Lüdemann, R., *see* **Biro, D.** (74) 35
Lundszien, D., F. Finger and H. Wagner, A-Si:H buffer in a-SiGe:H solar cells (74) 365
Luther, J., *see* **Goetzberger, A.** (74) 1
Lux-Steiner, M., *see* **Eisele, W.** (75) 17
Lux-Steiner, M.C., *see* **Bär, M.** (75) 101
Lux-Steiner, M.Ch., *see* **Rumberg, A.** (75) 1

Maddalena, P., A. Parretta, P. Tortora, P. Altermatt and J. Zhao, Simultaneous optical losses and current measurements in photovoltaic devices at variable angle of the incident light (75) 397
Malik, M.A., *see* **Chatten, A.J.** (75) 363
Maruyama, E., S. Okamoto, A. Terakawa, W. Shinohara, M. Tanaka and S. Kiyama, Toward stabilized 10% efficiency of large-area ($>5000\,cm^2$) a-Si/a-SiGe tandem solar cells using high-rate deposition (74) 339
Mase, H., M. Kondo and A. Matsuda, Microcrystalline silicon solar cells fabricated on polymer substrate (74) 547
Masuda, A., Y. Ishibashi, K. Uchida, K. Kamesaki, A. Izumi and H. Matsumura, In situ chamber cleaning using atomic H in catalytic-CVD apparatus for mass production of a-Si:H solar cells (74) 373
Masuda, A., *see* **Hashimoto, A.** (75) 313
Matsuda, A., *see* **Miyahara, H.** (74) 351
Matsuda, A., *see* **Nakashima, T.** (74) 429
Matsuda, A., *see* **Suzuki, S.** (74) 489
Matsuda, A., *see* **Nasuno, Y.** (74) 497
Matsuda, A., *see* **Mase, H.** (74) 547
Matsuda, A., *see* **Wada, T.** (74) 533
Matsuda, S., *see* **Dharmarasu, N.** (75) 327
Matsuda, S., *see* **Fujita, R.** (75) 319
Matsuda, S., *see* **Khan, A.** (75) 271
Matsuda, S., *see* **Lee, H.-S.** (75) 57
Matsuda, Y., *see* **Tanaka, T.** (75) 115
Matsukawa, H., K. Koshiishi, H. Koizumi, K. Kurokawa, M. Hamada and L. Bo, Dynamic evaluation of maximum power point tracking operation with PV array simulator (75) 537
Matsumura, H., *see* **Masuda, A.** (74) 373
Matsunami, H., *see* **Kurobe, K.-i.** (74) 183
Matsushima, T., T. Setaka and S. Muroyama, Concentrating solar module with horizontal reflectors (75) 603
Matsuura, K., *see* **Muhida, R.** (75) 697
Mazzer, M., *see* **Bushnell, D.B.** (75) 299
Medvedkin, G.A., E.I. Terukov, Y. Hasegawa, K. Hirose and K. Sato, Microdefects and point defects optically detected in $Cu(In,Ga)Se_2$ thin film solar cells exposed to the damp and heating (75) 127
Medvedkin, G.A., T. Nishi, Y. Katsumata, H. Miyake and K. Sato, Study of point defects in $CuGaSe_2$ single crystals by means of electron paramagnetic resonance and photoluminescence (75) 135
Meguro, T., *see* **Yamamoto, K.** (74) 449
Meier, J., S. Dubail, S. Golay, U. Kroll, S. Faÿ, E. Vallat-Sauvain, L. Feitknecht, J. Dubail and A. Shah, Microcrystalline silicon and the impact on micromorph tandem solar cells (74) 457
Meier, J., *see* **Feitknecht, L.** (74) 539
Menna, P., U. Ciorba, F. Pauli, K. Komoto, K. Kato, J. Song and K. Kurokawa, Analysis of the impacts of transferring a photovoltaic modules manufacturing facility (75) 519
Metselaar, J.W., *see* **Krč, J.** (74) 401
Michira, M., *see* **Muhida, R.** (75) 697
Minagawa, Y., *see* **Muramatsu, S.-I.** (74) 275
Minagawa, Y., Y. Yazawa and S.-i. Muramatsu, Influence of doping concentration on Ni-induced lateral crystallization of amorphous silicon films (74) 283
Minemoto, T., Y. Hashimoto, W. Shams-Kolahi, T. Satoh, T. Negami, H. Takakura and Y. Hamakawa, Control of conduction band offset in wide-gap $Cu(In,Ga)Se_2$ solar cells (75) 121
Miura, M., *see* **Kurobe, K.-i.** (74) 183
Miyahara, H., M. Takai, T. Nishimoto, M. Kondo and A. Matsuda, Electrode distance dependence of photo-induced degradation in hydrogenated amorphous silicon (74) 351

Miyake, H., *see* **Medvedkin, G.A.** (75) 135
Monna, R., *see* **Debarge, L.** (74) 71
Mori, K., *see* **Kunii, T.** (74) 415
Morita, A., *see* **Aramoto, T.** (75) 211
Moto, A., *see* **Hashimoto, A.** (75) 313
Motohiro, T., *see* **Azuma, H.** (74) 289
Muffler, H.-J., *see* **Bär, M.** (75) 101
Muhida, R., M. Park, M. Dakkak, K. Matsuura, A. Tsuyoshi and M. Michira, A maximum power point tracking for photovoltaic-SPE system using a maximum current controller (75) 697
Mukhopadhyay, S., *see* **Ray, S.** (74) 393
Muller, J.C., *see* **Debarge, L.** (74) 71
Müller, J., *see* **Rech, B.** (74) 439
Muramatsu, S.-I., Y. Minagawa, F. Oka, T. Sasaki and Y. Yazawa, Thin-film c-Si solar cells prepared by metal-induced crystallization (74) 275
Muramatsu, S.-i., *see* **Minagawa, Y.** (74) 283
Murata, K., T. Yagiura, K. Takeda, M. Tanaka and S. Kiyama, New type of photovoltaic module integrated with roofing material (highly fire-resistant PV tile) (75) 647
Muroyama, S., *see* **Matsushima, T.** (75) 603

Nafeh, Abd El-Shafy A., F.H. Fahmy and E.M. Abou El-Zahab, Evaluation of a proper controller performance for maximum-power point tracking of a stand-alone PV system (75) 723
Nagano, Y., *see* **Komatsu, Y.** (74) 513
Nagoya, Y., B. Sang, Y. Fujiwara, K. Kushiya and O. Yamase, Improved performance of Cu(In,Ga)Se_2-based submodules with a stacked structure of ZnO window prepared by sputtering (75) 163
Nagoya, Y., *see* **Kushiya, K.** (75) 171
Nagoya, Y., *see* **Sang, B.** (75) 179
Naito, K., *see* **Kawamura, H.** (75) 613
Naka, K., *see* **Kawamura, H.** (75) 613
Nakahata, K., *see* **Isomura, M.** (74) 519
Nakajima, A., *see* **Yamamoto, K.** (74) 449
Nakamura, H., *see* **Sugiura, T.** (75) 767
Nakamura, K., M. Gotoh, T. Fujihara, T. Toyama and H. Okamoto, Influence of CdS window layer on 2-μm thick CdS/CdTe thin film solar cells (75) 185
Nakamura, M., *see* **Yamamoto, A.** (75) 451
Nakamura, S. and A. Yamamoto, Electrodeposited $CuInS_2$-based thin-film solar cells (75) 81
Nakamura, S., *see* **Yamamoto, A.** (75) 451
Nakamura, T., *see* **Yamaguchi, T.** (75) 87
Nakano, T., *see* **Komatsu, Y.** (74) 513
Nakashima, T., M. Kondo and A. Matsuda, Promising window layer of thin film Si solar cell with p–i–n structure prepared by using SiH_2Cl_2 (74) 429
Nam, H.-D., *see* **Seol, J.-S.** (75) 155
Narayanan, K.L. and M. Yamaguchi, Photovoltaic effects of a:C/C_{60}/Si (p–i–n) solar cell structures (75) 345
Narayanan, S., Large area multicrystalline silicon solar cells in high volume production environment—history, status, new processes, technology transfer issues (74) 107
Narayanan, S., *see* **Ruby, D.S.** (74) 133
Nasuno, Y., M. Kondo and A. Matsuda, Microcrystalline silicon thin-film solar cells prepared at low temperature using PECVD (74) 497
Negami, T., *see* **Minemoto, T.** (75) 121
Negami, T., *see* **Satoh, T.** (75) 65
Neu, W., A. Kress, W. Jooss, P. Fath and E. Bucher, Low-cost multicrystalline back-contact silicon solar cells with screen printed metallization (74) 139

Neuhaus, D.-H., *see* **Widenborg, P.** (74) 305
Neuhaus, D.H., N.-P. Harder, S. Oelting, R. Bardos, A.B. Sproul, P. Widenborg and A.G. Aberle, Dependence of the recombination in thin-film Si solar cells grown by ion-assisted deposition on the crystallographic orientation of the substrate (74) 225
Nguyen, A.K., *see* **Hashimoto, A.** (75) 313
Niira, K., H. Senta, H. Hakuma, M. Komoda, H. Okui, K. Fukui, H. Arimune and K. Shirasawa, Thin film poly-Si solar cells using PECVD and Cat-CVD with light confinement structure by RIE (74) 247
Niiyama, S., *see* **Yamaguchi, T.** (75) 87
Nijs, J., *see* **Szlufcik, J.** (74) 155
Nishi, T., *see* **Medvedkin, G.A.** (75) 135
Nishimoto, T., *see* **Miyahara, H.** (74) 351
Nishioka, K., T. Hatayama, Y. Uraoka, T. Fuyuki, R. Hagihara and M. Watanabe, Field-test analysis of PV system output characteristics focusing on module temperature (75) 665
Nishiyama, Y., *see* **Aramoto, T.** (75) 211
Nonomura, S., *see* **Itoh, T.** (74) 379
Nonomura, S., *see* **Kunii, T.** (74) 415
Nussbaumer, H., *see* **Fath, P.** (74) 127

Oelting, S., *see* **Neuhaus, D.H.** (74) 225
Oh, T.-S., *see* **Lee, S.-C.** (75) 481
Ohkawara, G., *see* **Yoshino, K.** (74) 505
Ohno, H., *see* **Kawamura, H.** (75) 613
Ohshima, T., *see* **Dharmarasu, N.** (75) 327
Ohshima, T., *see* **Khan, A.** (75) 271
Ohshima, T., *see* **Lee, H.-S.** (75) 57
Ohshima, T., *see* **Tanaka, T.** (75) 109
Ohshita, M., *see* **Kushiya, K.** (75) 171
Ohshita, Y., *see* **Khan, A.** (75) 271
Ohshita, Y., T.K. Vu and M. Yamaguchi, Generation of interstitial boron by minority-carrier injection (75) 405
Ohshita, Y., *see* **Fahim, N.F.** (75) 411
Ohta, K., *see* **Kashiwaba, Y.** (75) 253
Ohtsubo, Y., *see* **Uda, H.** (75) 219
Oka, F., *see* **Muramatsu, S.-I.** (74) 275
Okada, H., *see* **Lee, H.-S.** (75) 57
Okada, N. and K. Takigawa, A voltage regulation method for dispersed grid-connected PV systems under high-density connection (75) 637
Okada, N., *see* **Ishikawa, T.** (75) 529
Okada, N., *see* **Takigawa, K.** (75) 547
Okamoto, H., *see* **Nakamura, K.** (75) 185
Okamoto, S., *see* **Maruyama, E.** (74) 339
Okamoto, Y., *see* **Yamaguchi, T.** (75) 597
Okui, H., *see* **Niira, K.** (74) 247
Oldenkamp, H., *see* **Faiman, D.** (75) 629
Omura, K., *see* **Aramoto, T.** (75) 211
Oozeki, T., T. Izawa, K. Otani and K. Kurokawa, An evaluation method of PV systems (75) 687
Ose, E., *see* **Sinh, N.D.** (74) 295
Oßwald, D., *see* **Kieliba, T.** (74) 261
Otani, K., *see* **Tamura, J.** (75) 585
Otani, K., *see* **Oozeki, T.** (75) 687
Ozaki, R., *see* **Dhamrin, M.** (74) 203

Pak, J.J., *see* **Kang, J.** (74) 91
Park, G.-C., *see* **Jeong, W.-J.** (75) 93
Park, I.J., *see* **Lee, J.C.** (74) 233
Park, J.-S., *see* **Yamamoto, S.** (75) 577
Park, M., *see* **Muhida, R.** (75) 697
Park, N.-G., *see* **Kang, M.-G.** (75) 475
Park, Y.-J., *see* **Kang, M.-G.** (75) 475
Parm, I.O., K. Kim, D.G. Lim, J.H. Lee, J.H. Heo, J. Kim, D.S. Kim, S.H. Lee and J. Yi, High-density inductively coupled plasma chemical vapor deposition of silicon nitride for solar cell application (74) 97
Parretta, A., P.P. Altermatt and J. Zhao, Transmittance from photovoltaic materials under diffuse light (75) 387
Parretta, A., *see* **Maddalena, P.** (75) 397
Parretta, A., H. Yakubu, F. Ferrazza, P.P. Altermatt, M.A. Green and J. Zhao, Optical loss of photovoltaic modules under diffuse light (75) 497
Pauli, F., *see* **Menna, P.** (75) 519
Peter, K., R. Kopecek, P. Fath, E. Bucher and C. Zahedi, Thin film silicon solar cells on upgraded metallurgical silicon substrates prepared by liquid phase epitaxy (74) 219
Peters, S., *see* **Biro, D.** (74) 35
Pettenkofer, C., *see* **Eisele, W.** (75) 17
Polak, M., *see* **Katz, E.A.** (75) 421
Powalla, M. and B. Dimmler, Development of large-area CIGS modules (75) 27
Preu, R., *see* **Biro, D.** (74) 35

Rahardjo, S., *see* **Hadi, H.** (75) 673
Rath, J.K., *see* **Jun, K.H.** (74) 357
Rath, J.K., F.D. Tichelaar and R.E.I. Schropp, Heterogeneous growth of microcrystalline silicon germanium (74) 553
Ray, S., R. Das and A.K. Barua, Performance of double junction a-Si solar cells by using ZnO:Al films with different electrical and optical properties at the n/metal interface (74) 387
Ray, S., C. Das, S. Mukhopadhyay and S.C. Saha, Substrate temperature and hydrogen dilution: parameters for amorphous to microcrystalline phase transition in silicon thin films (74) 393
Reber, S., *see* **Kieliba, T.** (74) 261
Rech, B., O. Kluth, T. Repmann, T. Roschek, J. Springer, J. Müller, F. Finger, H. Stiebig and H. Wagner, New materials and deposition techniques for highly efficient silicon thin film solar cells (74) 439
Rech, B., *see* **Brammer, T.** (74) 469
Reetz, W., *see* **Brammer, T.** (74) 469
Ren, H.Z., *see* **Geng, X.H.** (75) 489
Repmann, T., *see* **Rech, B.** (74) 439
Rinke, T.J., *see* **Bergmann, R.B.** (74) 213
Roberts, J.S., *see* **Bushnell, D.B.** (75) 299
Rohatgi, A., *see* **Ebong, A.** (74) 51
Rohatgi, A., V. Yelundur, J. Jeong, A. Ebong, M.D. Rosenblum and J.I. Hanoka, Fundamental understanding and implementation of Al-enhanced PECVD SiN_x hydrogenation in silicon ribbons (74) 117
Rohatgi, A., *see* **Ruby, D.S.** (74) 133
Roschek, T., *see* **Rech, B.** (74) 439
Rosenblum, M.D., *see* **Rohatgi, A.** (74) 117
Ruby, D., *see* **Ebong, A.** (74) 51
Ruby, D.S., S.H. Zaidi, S. Narayanan, B.M. Damiani and A. Rohatgi, Rie-texturing of multicrystalline silicon solar cells (74) 133

Rumberg, A., A. Gerhard, A. Jäger-Waldau and M.Ch. Lux-Steiner, ZnSe buffer prepared by iodine-enhanced chemical vapour deposition for $Cu(In,Ga)(Se,S)_2$-based solar cells (75) 1
Ryu, K.-S., *see* **Kang, M.-G.** (75) 475

Saha, S.C., *see* **Ray, S.** (74) 393
Saitoh, T., *see* **Dhamrin, M.** (74) 203
Saitoh, T., *see* **Hashigami, H.** (75) 351
Saitoh, T., *see* **Yoshioka, K.** (75) 373
Saitoh, T., *see* **Koizumi, K.** (75) 623
Sakuta, K., *see* **Sugiura, T.** (75) 767
Sang, B., *see* **Nagoya, Y.** (75) 163
Sang, B., *see* **Kushiya, K.** (75) 171
Sang, B., Y. Nagoya, K. Kushiya and O. Yamase, MOCVD-ZnO windows for 30 cm × 30 cm CIGS-based modules (75) 179
Sasaki, K., *see* **Yamamoto, S.** (75) 577
Sasaki, T., *see* **Muramatsu, S.-I.** (74) 275
Sato, K., *see* **Medvedkin, G.A.** (75) 127
Sato, K., *see* **Medvedkin, G.A.** (75) 135
Satoh, T., Y. Hashimoto, S. Shimakawa, S. Hayashi and T. Negami, $Cu(In,Ga)Se_2$ solar cells on stainless steel substrates covered with insulating layers (75) 65
Satoh, T., *see* **Minemoto, T.** (75) 121
Sawada, T., *see* **Yamamoto, K.** (74) 449
Scherff, M., *see* **Ulyashin, A.** (74) 195
Schindler, R., *see* **Biro, D.** (74) 35
Schmid, F., *see* **Khattak, C.P.** (74) 77
Schmidt, J., *see* **Bergmann, R.B.** (74) 213
Schönecker, A., *see* **van der Heide, A.S.H.** (74) 43
Schober, R., *see* **Kieliba, T.** (74) 261
Schott, M., *see* **Debarge, L.** (74) 71
Schropp, R.E.I., *see* **Jun, K.H.** (74) 357
Schropp, R.E.I., *see* **Rath, J.K.** (74) 553
Schubert-Bischoff, P., *see* **Eisele, W.** (75) 17
Schultz, O., *see* **Biro, D.** (74) 35
Seki, A., *see* **Yamamoto, A.** (75) 451
Senoussaoui, N., *see* **Brammer, T.** (74) 469
Senta, H., *see* **Niira, K.** (74) 247
Seol, J.-S., S.-Y. Lee, J.-C. Lee, H.-D. Nam and K.-H. Kim, Electrical and optical properties of Cu_2ZnSnS_4 thin films prepared by rf magnetron sputtering process (75) 155
Setaka, T., *see* **Matsushima, T.** (75) 603
Shah, A., *see* **Meier, J.** (74) 457
Shah, A., *see* **Feitknecht, L.** (74) 539
Shams-Kolahi, W., *see* **Minemoto, T.** (75) 121
Shima, M., *see* **Isomura, M.** (74) 519
Shimakawa, S., *see* **Satoh, T.** (75) 65
Shimizu, M., *see* **Komatsu, Y.** (74) 513
Shimizu, M., *see* **Yamamoto, H.** (74) 525
Shinohara, W., *see* **Maruyama, E.** (74) 339
Shirai, H., *see* **Jung, S.** (74) 421
Shirai, H., *see* **Yoshino, K.** (74) 505
Shirasawa, K., *see* **Niira, K.** (74) 247
Shtutina, S., *see* **Katz, E.A.** (75) 421
Siefer, G., *see* **Hein, M.** (75) 277

Sinh, N.D., G. Andrä, F. Falk, E. Ose and J. Bergmann, Optimization of layered laser crystallization for thin-film crystalline silicon solar cells (74) 295
Sites, J.R., Quantification of losses in thin-film polycrystalline solar cells (75) 243
Smole, F., *see* **Krč, J.** (74) 401
Song, H.K., S.G. Kim, H.J. Kim, S.K. Kim, K.W. Kang, J.C. Lee and K.H. Yoon, Preparation of $CuIn_{1-x}Ga_xSe_2$ thin films by sputtering and selenization process (75) 145
Song, J., *see* **Lee, J.C.** (74) 233
Song, J., *see* **Ito, M.** (75) 507
Song, J., *see* **Menna, P.** (75) 519
Song, J.S., *see* **Lee, D.Y.** (75) 73
Song, W.-C., *see* **Lee, J.-H.** (75) 227
Sonomura, H., *see* **Uda, H.** (75) 219
Sontag, D., *see* **Hahn, G.** (74) 57
Spiegel, M., C. Gerhards, F. Huster, W. Jooss, P. Fath and E. Bucher, Industrially attractive front contact formation methods for mechanically V-textured multicrystalline silicon solar cells (74) 175
Spiegel, M., *see* **Hauser, A.** (75) 357
Springer, J., *see* **Rech, B.** (74) 439
Sproul, A.B., *see* **Neuhaus, D.H.** (74) 225
Sproul, A.B., *see* **Widenborg, P.** (74) 305
Stiebig, H., *see* **Brammer, T.** (74) 469
Stiebig, H., *see* **Rech, B.** (74) 439
Stolt, L., *see* **Kessler, J.** (75) 35
Stolt, L., *see* **Wennerberg, J.** (75) 47
Strzhemechny, Y., *see* **Katz, E.A.** (75) 421
Suezaki, T., *see* **Yamamoto, K.** (74) 449
Sugihara, H., *see* **Ito, M.** (75) 507
Sugita, K., *see* **Koizumi, K.** (75) 623
Sugiura, T., T. Yamada, H. Nakamura, M. Umeya, K. Sakuta and K. Kurokawa, Measurements, analyses and evaluation of residential PV systems by Japanese monitoring program (75) 767
Sun, G.C., J.C. Bourgoin, N. de Angelis, M. Yamaguchi, A. Khan, T. Takamoto and O. Gilard, Metastability effects in InGaP solar cells (75) 293
Suzuki, S., M. Kondo and A. Matsuda, Growth of device grade μc-Si film at over 50 Å/s using PECVD (74) 489
Suzuki, T., *see* **Yamamoto, K.** (74) 449
Szlufcik, J., F. Duerinckx, J. Horzel, E. Van Kerschaver, H. Dekkers, S. De Wolf, P. Choulat, C. Allebe and J. Nijs, High-efficiency low-cost integral screen-printing multicrystalline silicon solar cells (74) 155

Taberi, M., *see* **Yamaguchi, T.** (75) 597
Tachiyuki, M., *see* **Kushiya, K.** (75) 171
Taira, S., *see* **Isomura, M.** (74) 519
Takaba, Y., *see* **Yamamoto, H.** (74) 525
Takagishi, S., *see* **Hashimoto, A.** (75) 313
Takahashi, M., *see* **Hashimoto, A.** (75) 313
Takahashi, M., *see* **Yamaguchi, A.** (75) 679
Takai, M., *see* **Miyahara, H.** (74) 351
Takakura, H. and Y. Hamakawa, Device simulation and modeling of microcrystalline silicon solar cells (74) 479
Takakura, H., *see* **Minemoto, T.** (75) 121
Takakura, H., *see* **Hiraoka, S.** (75) 781
Takamoto, T., *see* **Sun, G.C.** (75) 293
Takamoto, T., *see* **Dharmarasu, N.** (75) 327

Takata, H., *see* **Yamamoto, K.** (74) 449
Takata, M., *see* **Yamamoto, S.** (75) 577
Takeda, K., *see* **Murata, K.** (75) 647
Takeuchi, A., *see* **Azuma, H.** (74) 289
Takeuchi, K., M. Ichimura, E. Arai and Y. Yamazaki, SnS thin films fabricated by pulsed and normal electrochemical deposition (75) 427
Takigawa, K., *see* **Ishikawa, T.** (75) 529
Takigawa, K., N. Okada, N. Kuwabara, A. Kitamura and F. Yamamoto, Development and performance test of smart power conditioner for value-added PV application (75) 547
Takigawa, K., *see* **Okada, N.** (75) 637
Takiguchi, H., *see* **Komatsu, Y.** (74) 513
Takiguchi, H., *see* **Yamamoto, H.** (74) 525
Tamura, J., K. Kurokawa and K. Otani, Estimation of hourly in-plane irradiation by using minutely horizontal data (75) 585
Tamura, Y., *see* **Endo, E.** (75) 751
Tanabe, T., *see* **Hashimoto, A.** (75) 313
Tanaka, M., *see* **Maruyama, E.** (74) 339
Tanaka, M., *see* **Isomura, M.** (74) 519
Tanaka, M., *see* **Murata, K.** (75) 647
Tanaka, M., *see* **Yagi, Y.** (75) 655
Tanaka, S., *see* **Hashimoto, A.** (75) 313
Tanaka, T., T. Yamaguchi, T. Ohshima, H. Itoh, A. Wakahara and A. Yoshida, Effect of Cl ion implantation on electrical properties of $CuInSe_2$ thin films (75) 109
Tanaka, T., T. Yamaguchi, A. Wakahara, A. Yoshida, R. Taniguchi, Y. Matsuda and M. Fujishiro, Effect of 8 MeV electron irradiation on electrical properties of $CuInSe_2$ thin films (75) 115
Tanaka, T., *see* **Yagi, Y.** (75) 655
Tanaka, Y., *see* **Kushiya, K.** (75) 171
Taniguchi, H., *see* **Komatsu, Y.** (74) 513
Taniguchi, R., *see* **Tanaka, T.** (75) 115
Tawada, Y., *see* **Yamamoto, K.** (74) 449
Tazawa, M., *see* **Xu, G.** (74) 267
Terakawa, A., *see* **Maruyama, E.** (74) 339
Terukov, E.I., *see* **Medvedkin, G.A.** (75) 127
Tichelaar, F.D., *see* **Rath, J.K.** (74) 553
Tokita, Y., S. Chaisitsak, A. Yamada and M. Konagai, High-efficiency $Cu(In,Ga)Se_2$ thin-film solar cells with a novel $In(OH)_3{:}Zn^{2+}$ buffer layer (75) 9
Tokuda, S., *see* **Hadi, H.** (75) 673
Tokunaga, S., *see* **Fujita, R.** (75) 319
Topič, M., *see* **Krč, J.** (74) 401
Torres, P., *see* **Feitknecht, L.** (74) 539
Tortora, P., *see* **Maddalena, P.** (75) 397
Toyama, T., *see* **Nakamura, K.** (75) 185
Tsutsui, K., *see* **Uematsu, T.** (75) 557
Tsuyoshi, A., *see* **Muhida, R.** (75) 697
Tuladhar, S.M., *see* **Katz, E.A.** (75) 421

Uchida, K., *see* **Masuda, A.** (74) 373
Uda, H., H. Yonezawa, Y. Ohtsubo, M. Kosaka and H. Sonomura, Thin CdS films prepared by metalorganic chemical vapor deposition (75) 219
Uematsu, T., K. Tsutsui, Y. Yazawa, T. Warabisako, I. Araki, Y. Eguchi and T. Joge, Development of bifacial PV cells for new applications of flat-plate modules (75) 557
Ueyama, H., *see* **Yoshino, K.** (74) 505

Ulyashin, A., M. Scherff, R. Hussein, M. Gao, R. Job and W.R. Fahrner, Comparison of multicrystalline silicon surfaces after wet chemical etching and hydrogen plasma treatment: application to heterojunction solar cells (74) 195
Umeya, M., *see* **Sugiura, T.** (75) 767
Uno, T., *see* **Yamaguchi, A.** (75) 679
Uraoka, Y., *see* **Ishikawa, Y.** (74) 255
Uraoka, Y., *see* **Yamamoto, Y.** (75) 433
Uraoka, Y., *see* **Nishioka, K.** (75) 665

Vallat-Sauvain, E., *see* **Meier, J.** (74) 457
van der Heide, A.S.H., J.H. Bultman, J. Hoornstra and A. Schönecker, Error diagnosis and optimisation of c-Si solar cell processing using contact resistances determined with the Corescanner (74) 43
Van Kerschaver, E., *see* **Szlufcik, J.** (74) 155
Vetterl, O., *see* **Brammer, T.** (74) 469
Vu, T.K., *see* **Ohshita, Y.** (75) 405

Wada, T., M. Kondo and A. Matsuda, Improvement of V_{oc} using carbon added microcrystalline Si p-layer in microcrystalline Si solar cells (74) 533
Wagner, H., *see* **Lundszien, D.** (74) 365
Wagner, H., *see* **Rech, B.** (74) 439
Wagner, H., *see* **Brammer, T.** (74) 469
Wakahara, A., *see* **Lee, H.-S.** (75) 57
Wakahara, A., *see* **Tanaka, T.** (75) 109
Wakahara, A., *see* **Tanaka, T.** (75) 115
Waki, M., *see* **Yagi, Y.** (75) 655
Wakisaka, K., *see* **Isomura, M.** (74) 519
Wang, A., *see* **Altermatt, P.P.** (74) 165
Wang, Q.Z., *see* **Geng, X.H.** (75) 489
Wang, Z.P., *see* **Geng, X.H.** (75) 489
Warabisako, T., *see* **Uematsu, T.** (75) 557
Watanabe, M., *see* **Nishioka, K.** (75) 665
Wennerberg, J., *see* **Kessler, J.** (75) 35
Wennerberg, J., J. Kessler and L. Stolt, Cu(In,Ga)Se_2-based thin-film photovoltaic modules optimized for long-term performance (75) 47
Wennerberg, J., *see* **Brogren, M.** (75) 567
Werner, J.H., *see* **Bergmann, R.B.** (74) 213
Widenborg, P., *see* **Neuhaus, D.H.** (74) 225
Widenborg, P., D.-H. Neuhaus, P. Campbell, A.B. Sproul and A.G. Aberle, Back electrode formation for poly-Si thin film solar cells on glass having AIC-grown seeding layer (74) 305
Willeke, G., *see* **Goetzberger, A.** (74) 1
Willeke, G., *see* **Biro, D.** (74) 35
Willeke, G., *see* **Kieliba, T.** (74) 261
Woodall, J.M., *see* **Li, G.** (75) 307

Xia, J., *see* **Cho, E.-C.** (74) 147
Xu, G., P. Jin, K. Yoshimura and M. Tazawa, Optical confinement of the intermediate layer between Si and alumina substrate in thin film Si solar cells (74) 267
Xue, J.M., *see* **Geng, X.H.** (75) 489

Yagi, Y., H. Kishi, R. Hagihara, T. Tanaka, S. Kozuma, T. Ishida, M. Waki, M. Tanaka and S. Kiyama, Diagnostic technology and an expert system for photovoltaic systems using the learning method (75) 655

Yagiura, T., *see* **Murata, K.** (75) 647
Yakubu, H., *see* **Parretta, A.** (75) 497
Yamada, A., *see* **Fujisaki, T.** (74) 331
Yamada, A., *see* **Tokita, Y.** (75) 9
Yamada, T., *see* **Sugiura, T.** (75) 767
Yamaguchi, A., K. Kurokawa, T. Uno and M. Takahashi, Reflection and absorption characteristics of electromagnetic waves for PV modules (75) 679
Yamaguchi, M., *see* **Azuma, H.** (74) 289
Yamaguchi, M., III–V compound multi-junction solar cells: present and future (75) 261
Yamaguchi, M., *see* **Khan, A.** (75) 271
Yamaguchi, M., A. Khan and N. Dharmarasu, Analysis for superior radiation resistance of InP-based solar cells (75) 285
Yamaguchi, M., *see* **Sun, G.C.** (75) 293
Yamaguchi, M., *see* **Araki, K.** (75) 457
Yamaguchi, M., *see* **Araki, K.** (75) 467
Yamaguchi, M., *see* **Araki, K.** (75) 707
Yamaguchi, M., *see* **Araki, K.** (75) 715
Yamaguchi, M., *see* **Dharmarasu, N.** (75) 327
Yamaguchi, M., *see* **Fahim, N.F.** (75) 411
Yamaguchi, M., *see* **Narayanan, K.L.** (75) 345
Yamaguchi, M., *see* **Ohshita, Y.** (75) 405
Yamaguchi, T., T. Kobata, S. Niiyama, T. Nakamura and A. Yoshida, Thin films of $Cu(In,Ga)Se_2$ and ordered vacancy compound prepared by thermal crystallization and their photovoltaic applications (75) 87
Yamaguchi, T., *see* **Tanaka, T.** (75) 109
Yamaguchi, T., *see* **Tanaka, T.** (75) 115
Yamaguchi, T., Y. Okamoto and M. Taberi, Investigation on abundant photovoltaic power generated by 40 kW PV system in Wakayama National College of Technology (75) 597
Yamamoto, A., *see* **Nakamura, S.** (75) 81
Yamamoto, A., *see* **Hashimoto, A.** (75) 313
Yamamoto, A., M. Nakamura, A. Seki, E.L. Li, A. Hashimoto and S. Nakamura, Pyrite (FeS_2) thin films prepared by spray method using $FeSO_4$ and $(NH_4)_2S_x$ (75) 451
Yamamoto, F., *see* **Takigawa, K.** (75) 547
Yamamoto, H., Y. Takaba, Y. Komatsu, M.-J. Yang, T. Hayakawa, M. Shimizu and H. Takiguchi, High-efficiency μc-Si/c-Si heterojunction solar cells (74) 525
Yamamoto, K., M. Yoshimi, Y. Tawada, S. Fukuda, T. Sawada, T. Meguro, H. Takata, T. Suezaki, Y. Koi, K. Hayashi, T. Suzuki, M. Ichikawa and A. Nakajima, Large area thin film Si module (74) 449
Yamamoto, S., J.-S. Park, M. Takata, K. Sasaki and T. Hashimoto, Basic study on the prediction of solar irradiation and its application to photovoltaic-diesel hybrid generation system (75) 577
Yamamoto, Y., *see* **Ishikawa, Y.** (74) 255
Yamamoto, Y., Y. Ishikawa, T. Hatayama, Y. Uraoka and T. Fuyuki, Numerical analysis of bulk diffusion length in thin-film c-Si solar cells (75) 433
Yamanaka, S., *see* **Kawamura, H.** (75) 613
Yamase, O., *see* **Kushiya, K.** (75) 171
Yamase, O., *see* **Nagoya, Y.** (75) 163
Yamase, O., *see* **Sang, B.** (75) 179
Yamazaki, Y., *see* **Takeuchi, K.** (75) 427
Yan, Z., *see* **Li, G.** (75) 307
Yang, M.-J., *see* **Komatsu, Y.** (74) 513
Yang, M.-J., *see* **Yamamoto, H.** (74) 525
Yang, Q., *see* **Li, G.** (75) 307

Yano, K., *see* **Komatsu, Y.** (74) 513
Yazawa, Y., *see* **Muramatsu, S.-I.** (74) 275
Yazawa, Y., *see* **Minagawa, Y.** (74) 283
Yazawa, Y., *see* **Uematsu, T.** (75) 557
Yelundur, V., *see* **Rohatgi, A.** (74) 117
Yi, J., *see* **Parm, I.O.** (74) 97
Yi, J.-S., *see* **Lee, J.-H.** (75) 227
Yi, J.-S., *see* **Lee, J.-H.** (75) 235
Yonekura, N., *see* **Kawamura, H.** (75) 613
Yonezawa, H., *see* **Uda, H.** (75) 219
Yoo, Y.-S., *see* **Lee, J.-H.** (75) 227
Yoon, K.H., *see* **Lee, J.C.** (74) 233
Yoon, K.H., *see* **Ahn, J.H.** (74) 315
Yoon, K.H., *see* **Lee, D.Y.** (75) 73
Yoon, K.H., *see* **Song, H.K.** (75) 145
Yoshida, A., *see* **Lee, H.-S.** (75) 57
Yoshida, A., *see* **Yamaguchi, T.** (75) 87
Yoshida, A., *see* **Tanaka, T.** (75) 109
Yoshida, A., *see* **Tanaka, T.** (75) 115
Yoshida, K., *see* **Komatsu, Y.** (74) 513
Yoshida, N., *see* **Kunii, T.** (74) 415
Yoshimi, M., *see* **Yamamoto, K.** (74) 449
Yoshimura, K., *see* **Xu, G.** (74) 267
Yoshino, K., G. Ohkawara, H. Ueyama and H. Shirai, Fast deposition of microcrystalline silicon films with preferred (2 2 0) crystallographic texture using the high-density microwave plasma (74) 505
Yoshioka, K., K. Koizumi and T. Saitoh, Simulation and fabrication of flat-plate concentrator modules (75) 373
Yoshioka, K., *see* **Koizumi, K.** (75) 623
You, J., *see* **Kang, J.** (74) 91
Yun, J.H., K.H. Kim, D.Y. Lee and B.T. Ahn, Back contact formation using Cu_2Te as a Cu-doping source and as an electrode in CdTe solar cells (75) 203

Zahedi, C., *see* **Peter, K.** (74) 219
Zaidi, S.H., *see* **Ruby, D.S.** (74) 133
Zeman, M., *see* **Krč, J.** (74) 401
Zhang, S., *see* **Li, G.** (75) 307
Zhao, J., *see* **Altermatt, P.P.** (74) 165
Zhao, J., *see* **Maddalena, P.** (75) 397
Zhao, J., *see* **Parretta, A.** (75) 387
Zhao, J., *see* **Parretta, A.** (75) 497
Zickermann, D., *see* **Biro, D.** (74) 35
Zürcher, J., *see* **Feitknecht, L.** (74) 539
Zweigart, S., *see* **Eisele, W.** (75) 17
Zweigart, S., *see* **Bär, M.** (75) 101

ELSEVIER

Solar Energy Materials & Solar Cells 75 (2003) 807–814

Solar Energy Materials & Solar Cells

www.elsevier.com/locate/solmat

Subject index to volumes 74 + 75

Absorption characteristic	(75) 679	Base fraction	(75) 439
Absorption coefficient	(74) 519	Baseline	(75) 35
AC modules	(75) 629	Bifacial cell	(75) 557
Active power control	(75) 529	Bifacial module	(75) 557
Added value	(75) 679	Binary selenide	(75) 73
AIC	(74) 305	Blistering	(75) 357
Al-induced crystallization (AIC)	(74) 323	B_2H_6 doping	(74) 421
$AlCl_3$ vapor	(74) 315	B–O defect	(75) 405
All-silicon tandem cell	(74) 147	Boittom cell	(74) 479
Alternative buffer	(75) 1	Boron diffusion	(75) 557
Ammonia plasma activation	(75) 357	BSF layer	(75) 557
Amorphous carbon	(75) 411	Buffer free	(75) 101
Amorphous silicon solar cells	(74) 401	Buffer	(74) 365
Amorphous silicon	(74) 339, 351, 393, 479	Building integration	(74) 127
Amorphous silicon	(75) 647	Building integration	(75) 567, 761
Analysis and evaluation	(75) 767	Buried contact	(74) 175
Annealing	(75) 285		
Annual output	(75) 665		
Application	(75) 27	Cadmium sulfide	(75) 235
AR coating	(74) 147	Cadmium telluride	(75) 211, 235
Ar-dilution	(74) 407	Cadmium zinc sulfide	(75) 227
Array simulator	(75) 537	Carbon based materials	(75) 345
A-SiC_x:H alloy films	379	Carbon	(74) 533
a-SiGe:H	(74) 365	Carbon	(75) 211
a-Si solar cells	(74) 387	Carrier lifetime	(74) 203
A-Si	(74) 439	Carrier removal effect	(75) 271
a-Si	(74) 513	Carrier removal rate	(75) 57
a-Si:H	(74) 365	Cat-CVD	(74) 247
a-Si:H:(Cl)	(74)429	Catalytic chemical vapor deposition	(74) 373
Atmospheric	(75) 211	Cathode heating	(74) 351
Atomic hydrogen	(74) 373	CBD CdS	(75) 193
Automatic voltage control unit	(75) 529	CBD-Zn(O,S,OH)x buffer	(75) 171
Avalanche breakdown voltage	(75) 613	CdS homojunction	(75) 253
		CdS	(75) 185, 219
		CdS/CdTe solar cell	(75) 193
B-doping	(74) 379	CdTe solar cell	(75) 203
Back contact	(74) 139	CdTe	(75) 185, 243
Back electrode	(74) 305	$CdTe_{1-x}S_x$ mixed-crystal layer	(75) 185
Back surface field (BSF)	(74) 323	Ceramic substrates	(74) 261
Band-gap energy	(75) 285	Chalcopyrite crystals	(75) 135
Bandgap profiling	(74) 365	Chalcopyrite semiconductor	(75) 127
Barrier	(74) 139	Chalcopyrite	(75) 1

Elsevier Science B.V.

Chamber cleaning (74) 373
Chemical bath deposition (75) 9, 17
Chemical vapor deposition (74) 255
Chromatic aberration (75) 467
CIGS (75) 27, 35, 47, 179
CIGS-based submodules (75) 163
CIGSS (75) 1
Cl doping (75) 109
Clean energy revolution (74) 13
Clearness index (75) 585
Closed-chamber plasma (74) 539
Coherent light (74) 401
Compensating centers (75) 271
Computer modeling (75) 489
Computer simulation (75) 307
Concentrating solar module (75) 603
Concentrator cell (75) 277
Concentrator PV (75) 707, 715
Concentrator system (75) 277
Concentrator (75) 261, 363, 467, 623
Conduction band offset (75) 121
Contact grid (75) 381
Contact resistance (74) 43, 91
Contact (74) 65
Conversion efficiency (75) 665
Cost reduction (75) 729
Cost-effectiveness analysis (75) 751
Cost-efficiency (75) 751
CPC (75) 277
Criteria (75) 655
Crystalline silicon thin-film (74) 295
Crystalline silicon (74) 1, 155, 261
Crystalline thin film cells (74) 1
Crystalline (74) 289
Crystallinity (74) 255
Crystallinity (75) 185
Crystallites (75) 243
Crystallization (74) 283, 315
Crystallographic orientation (74) 225
CSS (75) 211
Cu metallization (74) 91
Cu source (75) 203
$Cu(In,Ga)(S,Se)_2$ (75) 101
$Cu(In,Ga)Se_2$ thin film (75) 65
$Cu(In, Ga)Se_2$ (75) 567
$Cu(In,Ga)Se_2$ (75) 47, 73, 87
$Cu(InGa)Se_2$ (75) 9, 35, 121
$Cu(InGa)Se_2$-based chalcopyrite material (75) 171
Cu_2Te (75) 203
$CuGaS_2$ (75) 93
$CuIn_{1-x}Ga_xSe_2$ (75) 145, 243
$CuInS_2$ (75) 81
$CuInSe_2$ (CIS) (75) 57
$CuInSe_2$ (75) 109, 115
Cumulative output (75) 665
Cu–In precursor (75) 81
Current measurements (75) 397
Curve fitting (75) 457
CVD (74) 97
CVD (75) 1, 433
Cycloolefin copolymer (74) 547
Czochralski silicon (74) 25
Czochralski silicon (75) 351

Damage coefficient (75) 285
Damp heating (75) 127
Dangling bonds (75) 411
DC magnetron sputtering (75) 145
DC–DC converter (75) 697
Deep-level defects (75) 327
Defects (75) 351
Degradation (75) 319, 351
Deposition (74) 233
Desert (75) 507
Design parameter method (75) 767
Design rule (75) 439
Device modeling (74) 213
Device simulation (74) 479
Diagnosis (75) 613
Diagnostic technology (75) 655
Dichlorosilane (74) 255
Diesel (75) 577
Diffuse light (75) 387, 497
Diffusion length (74) 57, 213
Diffusion (74) 139
Diffusion (75) 227, 421
Diode ideality factor (75) 457, 467
Diodes (75) 243
Direct-coupled PV system (75) 723
Directional solidification (74) 77
Distributed Bragg reflector (DBR) (75) 299
Distribution system (75) 637
Distribution (74) 183
Dopant species (75) 271
Doping (75) 421
2-D simulation (74) 331
DX center (75) 293
Dye sensitization (75) 475

EBEP-CVD (74) 561
Ecological sustainability (75) 761
Economic analysis (75) 507
Economic impact (75) 519
Economy (75) 761
Edge recombination (75) 381

EFG (74) 57
Electrical property (75) 115
Electrochemical deposition (75) 427
Electrode distance (74) 351
Electrodeposition (75) 81
Electroless plated Ni (74) 65
Electromagnetic cast (74) 203
Electromagnetic wave (75) 679
Electron localization (75) 335
Electron paramagnetic resonance (EPR) (75) 135
Electron spin resonance (ESR) (75) 411
Electroplated Cu (74) 65
Emitter-wrap-through (74) 139
Encapsulants (75) 387
End of life performance (75) 271
Energy pay-back (75) 507
Environment effect (75) 507
Environmental issue (74) 13
Equivalent circuit (75) 457
Estimation model (75) 585
Etch pits (74) 91
3E-Trilemma (74) 13
Evaluation method (75) 687
Evaluation (75) 687
Evaporation (75) 73
Excimer laser (74) 289
Experiment (75) 679
Experimental (74) 469
Expert system (75) 655
Extreme radiation hardness (75) 307

Fast deposition (74) 505
Fe–B pairs (74) 203
Feedstock (74) 219
$FeSo_4$ (75) 451
Field effect (75) 335
Field test (75) 687
Fire resistance (75) 647
Firing (74) 43
Fixed charges (75) 335
Flat-plate concentrator (75) 373
Flat-plate module (75) 557
Flexible solar cell (75) 65
Fluence (75) 319
Flux distribution (75) 467
FTIR-RAS (74) 421
Fullerene (75) 421
Fuzzy logic controller (75) 723

Ga doping (74) 25
Ga-doped ZnO (75) 163
GaAs (75) 277
GaAsP (75) 299
GaInAsN layers (75) 313
GaInP/GaInAs (75) 277
Germanium (74) 339
Grain boundary (74) 183, 331, 479
Grain boundary (75) 489
Grid-connected PV system (75) 529
Grid-connected PV systems (75) 637
Grid-connected system (75) 547
Gridded module (75) 47
Growth temperature (75) 235

Hall measurement (75) 451
Heat Exchanger method (74) 77
Heat treatment (75) 227
Heat-flow simulation (74) 289
Heterojuncition solar cell (74) 525
Heterojunction solar cells (74) 195
High conversion efficiency (75) 261
High deposition rate (74) 407
High efficiency (74) 25, 91
High power/weight ratio (75) 307
High rate (74) 439
High-density connection (75) 637
High-density plasma (74) 505
High-pressure depletion (74) 489
High-rate deposition (74) 339
High-rate growth (74) 489
Higher silane-related-reactive species (74) 351
HK PV consortium (75) 739
HK schools solar education programme (75) 739
Horizontal irradiance (75) 585
Hot-wire chemical vapor deposition (74) 373
Hot-wire CVD (74) 233, 379
Hybrid junction (74) 513
Hybrid PV system (75) 781
Hybrid solar cell (74) 513, 525
Hybrid system (75) 577
Hydrogen energy (75) 697
Hydrogen passivation (74) 117, 203
Hydrogen radical (74) 379
Hydrogen (74) 57
Hydrogen (75) 357
Hydrogenated amorphous silicon (74) 373
Hydrogenated microcrystalline silicon films (74) 415
Hydrogenated microcrystalline silicon (74) 457
Hydrogenation (74) 195, 225

Ideality factor (74) 165
III–V multi-junction cell (75) 467
III–V multi-junction cells (75) 707
ILGAR (ion layer gas reaction) (75) 101
Implemented PV system (75) 723

$In(OH)_3:Zn^{2+}$ (75) 9
In-plane irradiation (75) 585
Incubation layers (74) 539
Indium doping (75) 227
Indium–tin oxide (75) 193
InGaAs (75) 299
InGaP (75) 261, 261
Ingap (75) 293
InP solar cell (75) 307
InP-related materials (75) 285
Insulating layer (75) 65
Integrating sphere (75) 397
Integrating spheres (75) 387, 497
Inter-layer (74) 513
Interdigitated structure (75) 439
Interface (75) 185
Interfacial Al oxide (74) 323
Internal spectral response (75) 397
Intrinsic ZnO (75) 163
I–V characteristics (74) 449
I–V characteristics (75) 613
I–V curve (75) 537
Inverter conversion efficiency (75) 655
Inverter (75) 537
Inverters (75) 629
Ion implantation (75) 109, 345, 411
Ion-assisted deposition (74) 225
Iron pyrite (FeS_2) (75) 451
Iron (74) 183
Irradiance (75) 537, 603
Irradiation (75) 665
Irradiation-induced defect (75) 57

Japanese monitoring program (75) 767
Job creation (75) 519

Laser annealing (74) 289
Laser crystallization (74) 295
Laser-induced epitaxy (74) 295
Lattice constant (75) 93
LBIC (75) 433
Learning method (75) 655
Lifetime (74) 57, 183
Light degradation (75) 405
Light scattering (74) 401, 469
Light soaking effect (75) 9
Light trapping (74) 213, 439, 469, 513
Light-trapping type (75) 623
Light-trapping (74) 457
Liquid phase epitaxy (74) 219
Localized state (74) 415
Losses (75) 687
Low earth orbit (75) 319
Low temperature (74) 497
LP-CVD ZnO (74) 457
LPE (74) 219
Luminescence (75) 363

Maintenance (75) 655
Majority carrier (74) 57
Manufacturing and processing (74) 35, 155
Manufacturing initiative (75) 519
Manufacturing (74) 127
Manufacturing (75) 27
Mass-production apparatus (74) 373
Maximum current controller (75) 697
Maximum power point (MPP) (75) 673
Maximum power point tracking (MPPT) (75) 697
Maximum-power point tracking (75) 723
mc-Si (74) 513
μc-Si (74) 439, 489, 525
μc-Si:H solar cell (74) 497
μc-Si:H (74) 379, 421, 505, 539
Mechanical texturisation (74) 175
Metallisation (74) 43
Metallization (74) 65
Metallurgical grade silicon (74) 77
Metalorganic chemical vapor deposition (75) 219
Metastability (75) 293
Meteorological data (75) 623
MIC (74) 275
Microcrystalline Si solar cell (74) 479
Microcrystalline Si (74) 469
Microcrystalline silicon (74) 393, 533, 547
Microcrystalline (74) 553
Microcrystallization (74) 407
Microdefects (75) 127
Microwave detected photo-conductivity decay (74) 203
MILC (74) 283
Mini-modules (75) 35
Minority carrier diffusion length (75) 433
Minority carrier (74) 57
Minutely measured irradiance (75) 585
MIS contacts (74) 25
Mobility (74) 57
Mobility (75) 93
MOCVD (75) 179
Modelling (75) 363
Module design (75) 35, 47, 567
Module temperature (75) 597, 665
Module (75) 647
Monitoring (75) 687
Monolithic thin-film solar module (75) 171
Monthly output energy (75) 781

Morocco (75) 519
Morphology (75) 81, 427
MPPT (75) 537
Multi-junction solar cells (75) 261
Multi-quantum well (MQW) (75) 299
Multicrystalline silicon cells (74) 133
Multicrystalline silicon solar cell (74) 175
Multicrystalline silicon (74) 107, 117, 183, 195
Multicrystalline (74) 57, 127, 139
Multilayer (74) 357
Multiple quantum wells (74) 147

New materials and concepts (74) 1
New sunshine project (74) 13
(New-) sunshine program (75) 751
$(NH_4)_2S_x$ (75) 451
Ni (74) 275, 283
Normal direct irradiance (NDI) (75) 715

Oblique evaporation (74) 25
OECO technology (74) 25
Ohmic contact (75) 211
One-axis tracking (75) 277
Operation characteristic (75) 529
Operation time (75) 665
Optical absorption (74) 415
Optical confinement structure (75) 489
Optical confinement (74) 267
Optical emission spectroscopy OES (74) 539
Optical losses (75) 397, 497
Optical modelling (74) 401
Optical optimization (74) 267
Optics (74) 469
Optimal refractive index (74) 97
Optimum design (74) 479
Ordered vacancy compound (75) 87
Out-diffusion (74) 71
Output power (75) 603
Oxygen-related donor (74) 497

p^+ contact (75) 203
p-layer (74) 429, 533
p-type Cu-doped CdS (75) 253
Parabolic concentrators (75) 567
Parabolic trough (75) 277
Parameter analysis method (75) 687
PECVD SiN (75) 357
PECVD (74) 247, 357, 439
Performance index (75) 373
Phase transition (74) 393
Phosphorous and boron gettering (74) 203
Photo-EPR (75) 135
Photoluminescence (PL) (75) 135
Photons (75) 243
Photothermal spectroscopy (74) 415
Photovoltaic module (75) 679
Photovoltaic power (75) 597
Photovoltaic system (75) 537, 655, 687
Photovoltaic systems (75) 761
Photovoltaic (75) 577, 665, 687, 697
Photovoltaics (74) 77
Photovoltaics (75) 519
PI controller (75) 723
Piston pump (75) 673
Plasma chemical deposition (74) 449
Plasma CVD (74) 519
Plasma enhanced chemical vapor deposition (PE CVD) (74) 295
Plasma etching (74) 133
Plasma texturing (74) 133
Plasma (74) 97
Plasma-enhanced chemical vapor deposition (74) 393, 489
p–i–n-type (74) 429
p–n junction (74) 165
Point defects and defect pairs (75) 135
Point defects (75) 127
Policy (75) 761
Poly Si and c-Si-based PV array performance (75) 781
Poly-Si thin film (74) 315
Poly-Si (74) 247, 305
Poly-silicon (75) 489
Polycrystalline silicon (74) 255, 275, 331
Polycrystalline thin film (75) 219
Polycrystalline (74) 233
Polycrystalline (75) 93
Polymer (74) 547
Power (75) 319
Prediction (75) 577
Process control (74) 43
Process control (75) 171
Process development (75) 27
Promotion program (75) 729
Proton irradiation (75) 57
Pulse (75) 427
PV HKU research group (75) 739
PV industry (75) 729
PV market (75) 729
PV module (75) 613
PV modules (75) 387, 497
PV system (74) 13
PV system (75) 507, 597
PV systems (75) 629, 729
PV tile (75) 647

Quantum dots (QDs) (75) 363
Quantum efficiency (75) 1
QW (74) 147

R&D planning (75) 751
Radiation damage (75) 115, 271, 285
Radiation (75) 319, 327
Radiative transfer (75) 363
Raman characterization (75) 313
Raman spectroscopy (74) 393, 519
Rapid thermal process (74) 71
Rapid thermal processing (74) 35, 51
Ray tracing (75) 623
Re-absorption (75) 363
Reactive power and harmonics compensation (75) 547
Reactive power control (75) 529, 637
Rear reflector (75) 373
Recombination loss (74) 479
Red shift (75) 363
Refining (74) 77
Reflectance (75) 497
Reflection coefficient (75) 679
Reflector (75) 603
Renewable energy (74) 13
Reproducibility (75) 171
Residential PV systems (75) 767
Resistivity (75) 93
Resonant photothermal bending spectroscopy (74) 415
RGS (74) 57
RHEED (74) 525
Ribbon (74) 57
RIE (74) 247
Roller-printing (74) 175
Roofing material (75) 647
Rotational solidification method (74) 513
Rough interfaces (74) 401

Scattered component ratio (75) 585
Scattered sun light (75) 781
School BEMS (75) 739
School BIPV (75) 739
Screen printing (74) 35, 43, 71, 139
Screen-printing (74) 51
Second stage concentrator (75) 277
Seed layer (74) 323
Segregation (74) 183
Selective emitter (74) 71
Selenization (75) 145
Selenization/sulfurization (75) 171
Series resistance (74) 43
Series resistance (75) 457
Shading losses (75) 381
Shadow (75) 613
Shadowing fraction (75) 439
Sheet substrate (74) 513
Short-circuit current (75) 603
Si film (74) 283
Si nitride (74) 25
Si solar cells (74) 267
Si solar cells (75) 271
Si (74) 213
$SiCl_4$ (74) 421
SiH_2Cl_2 (74) 421, 429
Silicon carbide (74) 561
Silicon film (74) 289
Silicon films (74) 233
Silicon germanium (74) 357, 553
Silicon nitride films (74) 97
Silicon nitride (74) 117
Silicon solar cells (74) 35, 133
Silicon thin-film solar cells (74) 295
Silicon (74) 51, 57, 91, 127, 139, 147, 219, 439
Silicon–germanium (74) 519
SIMS (74) 183
Simulation (74) 165
Simulation (75) 679
Single phase (75) 93
Single-crystalline Si (75) 433
Smoothing fluctuation of PV output and demand load (75) 547
Smoothing (75) 547
SnS (75) 427
SOI (75) 439
Solar activity (75) 319
Solar cell efficiency prediction (74) 1
Solar cell (74) 51, 65, 117, 139, 183, 289, 305, 331, 449, 489, 519, 533, 547, 553
Solar cell (75) 57, 87, 109, 115, 293, 351, 665
Solar cells (74) 25, 91, 127, 155, 213, 233, 339, 373, 469, 539
Solar cells (75) 17, 227, 235, 345, 397, 421, 647
Solar generator efficiency (75) 673
Solar grade silicon (74) 77
Solar irradiation (75) 577
Solar module (74) 449
Solar panel (75) 603
Solar radiation (75) 597
Sol–gel (75) 481
Solid polymer electrolysis (SPE) (75) 697

Space solar cells (75) 285
Spatial standing wave method (75) 679
SPE characteristics (75) 697
Spectrum matching (75) 707
Spectrum (75) 715
Spoke antenna (74) 505
Spray method (75) 451
Sputtering (74) 439
Stability (75) 47
Stacked solar cells (75) 489
Stacked structure (74) 519
Strain balance (75) 299
String ribbon (74) 57
Structural changes (75) 313
Submodules (75) 179
Substrate (74) 469
Sulfurization (75) 451
Superlattice (74) 147
Superstrate (74) 469
Suppression of darkening (74) 429
Surface damage (75) 357
Surface passivation (74) 147
Surface passivation (75) 335
Surface photo-voltage (74) 203
Surface recombination velocity (74) 147
Surface treatment (75) 193
Surface (74) 165
System efficiency. (75) 673
System performance ratio (75) 655

Tandem cell (74) 439
Tandem solar cell (74) 479
Tandem (74) 339
TCO (74) 439, 469
TCO/glass. (75) 387
Technological progress model (75) 751
Technology transfer (74) 107
Technology transfer (75) 519
Temperature coefficient (75) 665
Temperature dependence of cell efficiency (75) 781
Texture (75) 387
Texturisation (74) 127
The path of the sun (75) 781
The SV method (75) 687
Thermal annealing (75) 411
Thermal crystallization (75) 87
Thermodynamics (75) 363
Thin cell (75) 439
Thin film materials (74) 1
Thin film silicon (74) 561
Thin film solar cell (74) 255, 439
Thin film solar cell (75) 1, 101, 127
Thin film solar cells (74) 365
Thin film solar cells (75) 73
Thin film (74) 219, 267, 275, 305, 331, 469, 519
Thin film (75) 109, 115, 307, 489
Thin films (75) 243, 421
Thin-film photovoltaic cells (75) 253
Thin-film silicon (74) 225, 457, 539
Thin-film solar cell (75) 433
Thin-film solar cells (74) 261
Thin-film solar cells (75) 81
Thin-film solar module (75) 27
Tin isopropoxide (75) 481
Tin oxide film (75) 481
Tio_2 solar cell (75) 475
Transmission electron microscopy (75) 17
Transmittance (75) 387
Transparent conducting oxide (74) 449
Transparent electric window (75) 475
Transparent (74) 127
Triethanolamine (75) 481
Tunnel junction (75) 261
Twin defects (74) 225
Two-dimensional device simulator (75) 433
Two-step method (75) 145

Up-scaling (74) 439
Upgraded metallurgical (74) 219

Vacuum evaporation (75) 235
Value-added PV application (75) 547
Variable incidence angle (75) 397
VHF-GD (74) 457
VHFGD (74) 539
VI/II molar ratio (75) 219
V_{oc} (74) 533
Voltage regulation method (75) 637

WEL (Window Extension Layer) (75) 101
Wet chemical etching (74) 195
Wide gap widow layer material of solar cell (74) 379
Wide optical gap (74) 429
Window layer (75) 121, 163
Window (75) 179

X-ray diffraction (75) 427
X-ray photoelectron spectroscopy (75) 17

Zinc oxide (74) 439
Zinc treatment (75) 17
Zircon (74) 261
Zn-doping (75) 9

$Zn_{1-x}Mg_xO$ (75) 121
ZnO window (75) 171
ZnO (74) 469, 513
ZnO (75) 101
ZnO:Al films (74) 387
ZnO:B (75) 179
ZnSe (75) 1, 17
Zone-melting recrystallization (74) 261